



Standard

Comply with ANSI/EIA RS-310-D, DIN41497 part 1, IEC297-2, DIN41494 part 7, GBIT3047.2-92 standard.

Feature

- 19 inch width standard;
- Removable Side Panels, side locks optional;
- Knock off hole for entering cable on both top cover, bottom panel,real panel
- Turning angle of door is over 180 degrees
- Easy mounting installation
- Unassembled package saving shipping space
- PDU are optional

Loading Capacity

800KG

Degree of Protection

IP20

Material

SPCC Cold Rolled Steel
Thickness:2.0mm-1.2mm-1.0mm

Surface Finish:

Powder coating

Cabinet details



Bi-fold mesh rear door



4xFan group included



Strong bracket and Zinc Mounting Profile to guarantee 19" installation





Removable side panels (Side lock optional)




Cable entrance on rear panel




Ground wire included




Main Dimension(42U 800 x 1000mm)




Front (Single Mesh door)




Side




Rear door




A-Section A



Top



Bottom



Main Parts

S/N	Specification	Quantity	Unit	Material	Surface Finish	Remark
1	Frame	2	Piece	SPCC cold rolled steel	Powder coated	
2	Side panel	2	Piece	SPCC cold rolled steel	Powder coated	
3	Top cover	1	Piece	SPCC cold rolled steel	Powder coated	
4	Bottom panel	1	Piece	SPCC cold rolled steel	Powder coated	
5	Mounting profile	4	Piece	SPCC cold rolled steel	Zinc plated	
6	Mounting rail	6	Piece	SPCC cold rolled steel	Powder coated	
7	Front door	2	Piece	Single mesh front door	Powder coated	
8	Back door	2	Piece	Double mesh back door	Powder coated	
9	Castors	4	Piece			
10	Leveling feet	4	Piece			
11	Lock	2	Piece			with 2 keys
12	M6 Square nut	30	Piece	Steel	Color Zinc	
13	M6 B-head screw	30	Piece	Steel	Color Zinc	
14	Allen wrench	1	Piece	Steel	Color Zinc	
15	Cubes	12	Piece	Steel	Powder coated	
16	Cable Manager	2	Piece	Steel	Powder coated	(optional)
17	Fans	4	Piece	Metal		
18	Shelf	1	Piece	Steel	Powder coated	


Model Number Description

Model No.	Remark	Upgrade Choice
F1	Steel Thickness:2.0-1.2-1.0mm	Steel Thickness:2.0-1.5-1.2mm
A3	Single Mesh front door & Bi-fold Rear door	
Bi	Bi-fold front door & Bi-fold Rear door	

Color

RAL9004	RAL7035
black	grey

Unassembled packing details(2-4 cartons)



carton 1:top cover+bottom panel+1 shelf
carton 3: 2frame+mounting profile

Carton: Doors and side panles
carton 4:vertical management if needed