

DHI-LPH86-SC420-L

Smart interactive whiteboard



- Displays in 4K Ultra HD and uses 4K UI.
- Features split screen, and performs screen sharing between the whiteboard and phones, computers, tablets and more devices.
- Microsoft Office and other related software can be installed, and it can play audio and video files in various formats.

Series Overview

Dahua DeepHub Smart Interactive Whiteboard for education has powerful processing capabilities with its 4-core CPU and up to 8 GB RAM 128G storage capacity. Equipped with a high-precision infrared frame with a 2 mm identification diameter, and a 4K high-definition DLED module, this whiteboard will give you an extraordinary experience with writing, controlling the whiteboard and displaying content on it. It features video conferencing, wireless screen sharing, file management, HD display, scan & go, and more AI functions to enhance your experience. You can rely on this whiteboard to modernize your meeting rooms and classrooms.

Functions

4K HD Display

With up to 3840 × 2160 resolution, the 4K HD display delivers a clear image in sharp, vivid colors.

File Management

Supports managing and using Office files, image, video and audio files, and file formats such as PDF and TXT.

Text Recognition

Converts written letters into text in real time, using the default font of the system.

Technical Specification

Built-in System

Operating System	Android 13.0
CPU	Quad-core A55
CPU Frequency	1.9 GHz
GPU	Mali G52MP2
RAM	8 GB
ROM	128 GB

Function

Operating System of External Module	Windows, macOS, Android, Linux, Google Chrome
Wi-Fi	Wi-Fi 5, 802.11a/b/g/n/ac
Wi-Fi Hotspot	Wi-Fi 5, 2.4 GHz and 5 GHz dual band

LCD Panel

Panel Dimensions	86 inch
Backlight	DLED
Aspect Ratio	16: 9
Brightness	350 cd/m ² (typ.)
Resolution	3,840 (H) × 2,160 (V)
Viewing Angle	178° (H); 178° (V)
Lifespan	≥50,000 hrs
Display Color	1.07 billion
Refresh Rate	60 Hz
Static Contrast	IPS: 1200 (typ.)
Response Time	8 ms (typ.)

Camera

Pixel	13 MP
Distortion	0.087
Max. Resolution	15 fps@Mjpg 4208 × 3120
Field of View	H: 123°; V: 102.3°; D: 84.8°

Device Ports

Light Sensor	Yes
Front Button	7 buttons (home, touch lock, increase the volume, decrease the volume, signal source, return and power supply)
Front Ports	Type-C × 1; HDMI IN × 1; Touch Type-B × 1; USB Type-A × 3
Network Port	1 (100 Mbps)
Wi-Fi	Yes
Wi-Fi Standard	Wi-Fi Station: 802.11b/g/n/a/ac Wi-Fi AP: 802.11b/g/n/a/ac
Wi-Fi Frequency Range	2400–2483.5 MHz; 5150–5250 MHz; 5250–5350 MHz;

	5470–5725 MHz; 5725–5850 MHz;
MAX Power Transmission (Wi-Fi)	≤20 dBm@2400–2483.5 MHz; ≤23 dBm@5150–5250 MHz; ≤20 dBm@5250–5350 MHz; ≤27 dBm@5470–5725 MHz; ≤14 dBm@5725–5850 MHz;
Bluetooth	Yes
Bluetooth Standard	BT5.0 BR/EDR/BLE
Bluetooth Frequency Range	≤20 dBm@2400–2483.5 MHz
MAX Power Transmission (Bluetooth)	≤20 dBm
USB	USB 2.0 × 1; USB3.0 × 1; Touch USB2.0 × 1
RS-232	1 DB9 for controlling the device
Video Input	HDMI IN 2.0 × 2; AV IN × 1
Video Output	AV OUT × 1
Audio Output	3.5 mm stereo line out × 1 (coaxial)
Others	OPS slot × 1
IrDA	1
Type-C Port	Front Type-C × 1

Touchscreen

Touch Technology	Infrared touch technology
Response Time	≤6 ms
Touch Points	Android 20 Windows 40
Valid Touch	2 mm
Writing Mode	Finger and stylus pen (magnetic)
Anti-light Interference	Anti-glare tempered glass
Surface Hardness	> 7 hrs
Touch Resolution	32,767 × 32,767
Number of Multi-user Writing Points	5

Speaker

Frequency	150 Hz–20 kHz
Power	15 W × 2 (max)
Built-in Speaker	2

Microphone


Pick-up Distance	8 m (26.25 ft)
Number of Microphones	8
AGC	Yes
Echo Cancellation	Yes

General


Power Supply	100–240V AC, 50/60 Hz
Power Consumption	≤450 W
Operating Temperature	0 °C to +55 °C (+32 °F to +131 °F)

Storage Temperature	-10 °C to +55 °C (+14 °F to +131 °F)
Operating Humidity	20%–80% (RH)
Storage Humidity	20%–90% (RH)
Product Material	Metal
Protective Glass	4.0 mm anti-glare tempered glass
Casing Color (Frame/Rear)	Black
Product Dimensions	1,953.2 mm × 1,192 mm × 116.7 mm (76.90" × 46.93" × 4.59")
Frame Size	U: 61.5 mm, L/R: 17.6 mm, D: 28.3 mm (U: 2.42", L/R: 0.69", D: 1.11")
Packaging Dimensions	2,044 mm × 200 mm × 1,280 mm (80.47" × 7.87" × 50.39")
Net Weight	66 kg (145.51 lb)
Gross Weight	75 kg (165.35 lb)
Holes Distance	800 mm × 400 mm (31.50" × 15.75")
Installation	Wall mount or mobile bracket
Standby Power Consumption	≤0.5 W
Packing List	Smart interactive whiteboard × 1 Stylus pen × 2 Power cable × 1 Quick start guide × 1 Wall mount bracket × 1 Pack of wall mount screws × 1 Antenna × 4

Dimensions (mm[inch])



Panels



Ordering Information

Type	Model	Description
Smart interactive whiteboard	DHI-LPH86-SC420-L	Smart interactive whiteboard

Installation

